Convergent Functional Information for Suicidality (CFI-S) Scale

©Niculescu 2015, 2016, 2017, 2022 email: aniculescu@arizona.edu

Items are scored 1 for Yes, 0 for No. Total Score has a maximum possible of 22. Final Score is Total Score divided by number of items that were scored (as for some items information might not be available (NA) so they are not scored), and multiplied by 100. High Risk >60. Intermediate Risk 30 < < 60. Low Risk < 30.

Items		Yes	No	NA
1.	Psychiatric			
	Ever had psychiatric illness diagnosed and treated			
2.	Compliance			
	Ever had poor treatment compliance.			
3.	Familial			
	Ever had family history of suicide attempts/completions in blood relatives			
4.				
	Ever personally know somebody who			
	attempted/completed/ suicide			
5.	Abuse			
	Ever had history of abuse growing up: physical, sexual, emotional, neglect, including bullying?			
6.	Medical			
	Now or in the last 3 months have you had acute/severe			
	medical illness, including acute pain ("I just can't stand this pain anymore.")?			
7.	Losses			
	Now or in the last 3 months have you had losses, grief?			
8.	Useless			
	Ever had feelings of uselessness, of not being needed, of			
	being a burden to others?			
9.				
	Ever been excessively introverted, internally driven loner, overly conscientious, perfectionistic? Has it ever been hard			
	for you to confide or seek help from others?			
10.	Unhappy			
	Now or in the last 3 months have you been dissatisfied with			
	your life?			
11.	Hopeless			
	Now or in the last 3 months have you lacked hope about your			
12	future ? Addiction			
12.	Now or in the last 3 months have you abused alcohol or			
	drugs?			
13.	History			
	Ever had a past suicidal act, gesture or attempt?			
14.	Non-religious			
	Now or in the last 3 months have you lacked religious (or			
	spiritual) beliefs?			

15.	Rejection			
	Now or in the last 3 months have you experienced			
	separation, rejection by romantic interest, peers, friends?		ļ	
16.	Isolation			
	Ever had lack of positive relationships, social isolation			
	(externally driven loneliness, being shunned or ostracized by			
	others)?			
17.	Impulsive		ļ	
	Ever had periods of excessive extroversion and impulsive		ļ	
	behaviors (including rage, anger, physical fights, school		ļ	
	suspension, expulsions)?			
18.	Non-coping		ļ	
	Ever had lack of coping skills when faced with stress?		ļ	
19.	Childless			
	Now or in the last 3 months, are you childless? Or if you		ļ	
	have children, is it true that you are not in touch /not close			
	to them? Biological (1point), step (0.5 points)			
20.	Hallucinations		ļ	
	Ever had command hallucinations of self-directed violence			
	(voices telling you to harm yourself)?			
21.	Age			
	Age: Older >60 or Younger <25		ļ	
22.	Gender			
	Gender: Male (1 point) or LGBTQ+ (0.5 points)			
	Score			1
		L		

	All	Males	Females
High Risk	> 59	> 59	> 58
Intermediate Risk	31< <59	32 < < 59	30 < <58
Low Risk	< 31	< 32	< 30

References:

*Niculescu AB, Levey DF, Phalen PL, Le-Niculescu H, Dainton HD, Jain N, Belanger E, James A, George S, Weber H, Graham DL, Schweitzer R, Ladd TB, Learman R, Niculescu EM, Vanipenta NP, Khan FN, Mullen J, Shankar G, Cook S, Humbert C, Ballew A, Yard M, Gelbart T, Shekhar A, Schork NJ, Kurian SM, Sandusky GE, Salomon DR. <u>Understanding and predicting suicidality using a combined genomic and clinical risk assessment approach.</u> *Molecular Psychiatry*. 2015 Aug 18. doi: 10.1038/mp.2015.112. [Epub ahead of print].

Levey DF, Niculescu EM, Le-Niculescu H, Dainton HD, Phalen PL, Ladd TB, Weber H, Belanger E, Graham DL, Khan FN, Vanipenta NP, Stage EC, Ballew A, Yard M, Gelbart T, Shekhar A, Schork NJ, Kurian SM, Sandusky GE, Salomon DR, 'Niculescu AB. <u>Towards understanding and predicting suicidality in women: biomarkers and clinical risk assessment</u>. *Molecular Psychiatry* 2016 Jun;21(6):768-85. Epub 2016 Apr 5.

*Niculescu AB, Le-Niculescu H. <u>Dissecting Suicidality Using a Combined Genomic and Clinical Approach</u>. *Neuropsychopharmacology* 2017 42, 360; doi:10.1038/npp.2016.228.

Niculescu AB, Le-Niculescu H, Levey DF, Phalen PL, Dainton HL, Roseberry K, Niculescu EM, Niezer JO, Williams A, Graham DL, Jones TJ, Venugopal V, Ballew A, Yard M, Gelbart T, Kurian SM, Shekhar A, Schork NJ, Sandusky GE, Salomon DR. <u>Precision Medicine for Suicidality: from universality to subtypes and personalization</u>. *Molecular Psychiatry* 2017. Sep;22(9):1250-1273. doi: 10.1038/mp.2017.128. Epub 2017 Aug 151 PMID: 28809398

Brucker KM, Duggan C Roseberry K, Le-Niculescu H, *Niculescu AB, *Kline JA. <u>Assessing Risk of Future Suicidality in Emergency Department Patients</u>, *Academic Emergency Medicine*, 2018 Oct 30. doi: 10.1111/acem.13562. [Epub ahead of print] PMID: 30375082

Cheng M, Roseberry K, Choi Y, Quast L, Gaines M, Sandusky G, Kline JA, *Bogdan P, *Niculescu AB. <u>Polyphenic risk score shows robust predictive ability for long-term future suicidality.</u> Discov Ment Health. 2022;2(1):13. doi: 10.1007/s44192-022-00016-z. Epub 2022 Jun 13. PMID: 35722470